Synthesis, Characterization and Self-assembly of

Functionalized Soft Nanomaterials

By

Santanu Kumar Pal

Thesis submitted to Jawaharlal Nehru University, New Delhi for the award of the

degree of

Doctor of Philosophy



Raman Research Institute

Bangalore - 560080

January 2008

Dedicated to

My beloved



Raman Research Institute

CERTIFICATE

This is to certify that the thesis entitled "Synthesis, Characterization and Self-assembly of *Functionalized Soft Nanomaterials*" submitted by *Santanu Kumar Pal*, for the award of the degree of **DOCTOR OF PHILOSOPHY** of Jawaharlal Nehru University, New Delhi, is his original experimental investigation and conclusions. The subject matter of this thesis has not been previously published or submitted to any other university for the award of any other degree, diploma, associateship, fellowship or any other similar title.

Prof. Ravi Subrahmanyan Director Raman Research Institute Prof. Sandeep Kumar

(Thesis Supervisor)

Bangalore- 560080

Raman Research Institute

DECLARATION

I hereby declare that the entire work embodied in this thesis is the result of the experimental investigation carried out by me independently at Raman Research Institute, Bangalore, under the guidance and supervision of Prof. Sandeep Kumar. The experimental work and conclusions presented in this thesis work has not been previously submitted and no part of this thesis work has formed the basis for the award of any other degree, diploma, fellowship, associateship or any other similar title.

Prof. Sandeep Kumar

Santanu Kumar Pal

(Thesis Supervisor)

Raman Research Institute

Bangalore- 560080

ACKNOWLEDGEMENTS

I am greatly indebted to my thesis supervisor Prof. Sandeep Kumar for his valuable and inspiring guidance throughout my research work. There are no adequate words to explain his keen interest, immense patience, kind advice, sustained encouragement, constant help and throughout provoking discussions that I had with him during this time. I am grateful to him for revealing me the richness of some basic synthetic organic chemistry. It was a valuable experience to work with and learn so many things from him both as a scientist and as a human being. It has been a great pleasure and I really enjoyed working with him.

I would like to express my gratitude to Prof. V. Lakshminarayanan, for his keen interest in my research work and many valuable discussions that I had with him. I have learnt some basic electrochemistry during some of the electrochemical studies of our compounds.

I especially thank Prof. K. A. Suresh and G. S. Ranganath for their valuable suggestion during my course-work and also for my Ph.D programme.

I wish to express my gratefulness to Prof. B. K. Sadashiva and also Prof. N. V. Madhusudana for their keen interest in this work and for useful discussions and suggestions during the period.

I take this opportunity to thank Dr. V. A. Raghunathan for his keen interest and valuable help in the interpretation of XRD data. I have learnt the basics of XRD from him, which has been very helpful for interpreting the data described in this thesis.

I am thankful to Dr. Reji Philip, Dr. R. Pratibha, and Dr. D. Vijayaraghavan, Dr. Arun Roy for many valuable discussions.

My sincere thanks to Mr. H. T. Srinivasa, Mr. Rame Gowda for their help in various ways during the period. I appreciate the kind of help, co-operation and encouragement given to me by my colleagues, Hari Krishna Bisoyi and Satyam Kumar Gupta during the period. I had very useful discussions with them on both academic and non-academic matters and I had enjoyable time.

I sincerely thank Ms. K. N. Vasudha for recording IR spectra, DSC thermograms and elemental analysis. I also thank Mr. K. Radhakrishnan for his valuable and timely help throughout my research work.

My thanks to Mr. A. Dhason, Mr. Ram, Mr. Mani, Mr. Raju for their kind help in various ways.

I would like to thank RRI library staff for providing me an excellent, timely and significant help during my research work. The ever smiling staff would oblige for all our requests including books and journals from various other libraries. This is the first time I have come across such a well maintained library.

I also thank various other departments of RRI and the administration, computer section, accounts, workshop, transport, canteen and clinic for their constant support throughout my Ph. D life.

I was lucky to have Sanat, Sajal, Ganesh, Ms. Umadevi, Brindaban, Rajkumar, and Surajit as my seniors, Alpana, Rahul as my batchmates and D. H. Nagraju, P. Suresh Kumar, Rakesh Kumar Pandey, Radhika, A. V. Radhakrishnan, Bibhu Ranjan Sarangi, Tripta Bhatia, Bharat Kumar, Arif Kamal, Antara Pal as my juniors. I wish to thank all my friends and research colleagues in the institute who made my stay enjoyable.

My deep gratitude to my beloved parents, my sister, and my brother-in-law for being a constant source of encouragement and help throughout my research work. I have greatly benefited by their valuable suggestions and thought provoking advices.

CONTENTS

CHAPTER 1:Introduction

| 1.1 | Liquid crystals | 1 |
|---------|--|----|
| 1.2 | History of liquid crystals | 2 |
| 1.3 | Classification of liquid crystals | 4 |
| 1.4 | Thermotropic liquid crystals | 4 |
| 1.4.1 | Calamitic liquid crystals | 5 |
| 1.4.1.1 | Nematic phase | 6 |
| 1.4.1.2 | Smectic phase | 6 |
| 1.4.2 | Discotic liquid crystals | 7 |
| 1.4.3 | Banana liquid crystals | 8 |
| 1.5 | Discotic liquid crystals: the discovery | 9 |
| 1.6 | Structure of discotic liquid crystalline phases | 11 |
| 1.6.1 | Nematic phases (N) of discotic mesogens | 11 |
| 1.6.2 | Columnar phases of discotic mesogens | 12 |
| 1.6.2.1 | The hexagonal columnar mesophase (Col _h) | 13 |
| 1.6.2.2 | The rectangular columnar mesophase (Col _r) | 15 |
| 1.6.2.3 | The columnar oblique mesophase (Col _{ob}) | 16 |
| 1.6.2.4 | The columnar plastic mesophase (Col _p) | 16 |
| 1.6.2.5 | The columnar helical phase (H) | 17 |
| 1.6.2.6 | The columnar lamellar phase | 18 |
| 1.7 | Chemistry of discotic liquid crystals | 18 |
| 1.8 | DLCs as materials for a new generation of organic electronics | 21 |
| 1.9 | Why discotics? | 22 |
| 1.10 | Discotics as semiconductor: molecular concepts, one dimensional electrical & | |
| | Photoconductivity | 23 |
| 1.10.1 | Size of the discotic core | 28 |
| 1.10.2 | Shape of the wave functions | 30 |
| 1.10.3 | Connecting groups | 31 |
| 1.10.4 | Phase behavior and transition temperatures | 32 |

| 1.11 | Discotic liquid crystals in display devices | 33 |
|------|---|----|
| 1.12 | Discotic in xerographic processes | 35 |
| 1.13 | Discotic as organic light-emitting diodes | 36 |
| 1.14 | Discotic as organic field-effect transistors | 37 |
| 1.15 | Discotic as holographic optical data storage | 39 |
| 1.16 | Discotic liquid crystals as photosynthetic light harvesting | 40 |

CHAPTER 2:Self-assembly of mesogens-decorated gold nanoparticles

| 2.1 | Background & objectives | 52 |
|---------|--|----|
| 2.2 | Inclusion of gold nanoparticles into a discotic liquid crystalline matrix | 54 |
| 2.2.1 | Synthesis | 54 |
| 2.2.2 | Preparation & characterization of nanocomposites with discotic liquid crystals | 55 |
| 2.3 | Alkoxycyanobiphenyl-covered gold nanoparticles | 58 |
| 2.4 | Synthesis of terminally thiol-functionalized alkoxycyanobiphenyls | 59 |
| 2.4.1 | Characterization | 59 |
| 2.4.2 | Thermal behaviour | 62 |
| 2.4.3 | X-ray diffraction studies | 65 |
| 2.4.4 | Conclusion | 66 |
| 2.5 | Self-assembled monolayers of alkoxycyanobiphenyl thiols on gold: A study | |
| | of electron transfer reaction using cyclic voltammetry and electrochemical | |
| | impedance spectroscopy | 67 |
| 2.6 | Self-assembled monolayers of alkoxycyanobiphenyl thiols on gold surface | |
| | using a lyotropic liquid crystalline medium | 69 |
| 2.7 | Synthesis and Characterization of alkoxycyanobiphenyl-covered GNPs | 70 |
| 2.8 | Discotic-decorated gold nanoparticles | 71 |
| 2.8.1 | Synthesis of thiol-functionalized triphenylenes | 71 |
| 2.8.2 | Synthesis of triphenylene-decorated GNPs | 72 |
| 2.8.3 | Characterization of triphenylene-covered GNPs | 74 |
| 2.8.3.1 | Transmission electron microscopy | 74 |
| 2.8.3.2 | Thermogravimetric analysis | 76 |
| 2.8.3.3 | X-ray diffraction studies | 77 |

| 2.8.3.4 | DC conductivity | 77 |
|---------|---|----|
| 2.8.4 | Conclusions | 79 |
| 2.9 | Experimental | 79 |
| 2.9.1 | General information | 79 |
| 2.9.1.1 | Column Chromatography | 80 |
| 2.9.1.2 | Thin-layer chromatography | 80 |
| 2.9.1.3 | Transition temperatures | 80 |
| 2.9.1.4 | X-ray diffraction studies | 80 |
| 2.9.1.5 | Ultraviolet spectra | 81 |
| 2.9.1.6 | IR spectra | 81 |
| 2.9.1.7 | ¹ H NMR & ¹³ C NMR | 81 |
| 2.9.1.8 | Elemental analysis | 81 |
| 2.9.2 | Synthesis | 81 |
| 2.9.2.1 | Synthesis of 6a (4'-[5-bromopentyloxy][1, 1'-biphenyl]-4-carbonitrile) | 81 |
| 2.9.2.2 | Synthesis of 7a (4'-[(5-(acetylthio)-pentyl)oxy][1, 1'-biphenyl]-4-carbonitrile) | 82 |
| 2.9.2.3 | Synthesis of 9a (4'-[(5-sulphanylpentyl)oxy][1, 1'-biphenyl]-4-carbonitrile) | 83 |

CHAPTER 3: Phase transitions in novel disulfide-bridged alkoxycyanobiphenyl dimers

| 3.1 | Introduction | 112 |
|--------|---|-----|
| 3.2 | Classification of liquid crystal dimers | 113 |
| 3.3 | Structure-property relationships in liquid crystalline dimers | 114 |
| 3.4 | Objective | 122 |
| 3.5 | Synthesis | 123 |
| 3.6 | Characterization | 124 |
| 3.7 | Thermal behaviour | 126 |
| 3.8 | X-ray diffraction studies | 129 |
| 3.9 | Conclusion | 131 |
| 3.10 | Experimental | 132 |
| 3.10.1 | General information | 132 |
| 3.10.2 | Synthesis of thiol dimers: General procedure | 132 |

| | CHAPTER 4: Novel triphenylene-based ionic discotic liquid crystals | |
|-------|---|-----|
| 4.1 | Introduction | 155 |
| 4.2 | Ionic discotic liquid crystals | 156 |
| 4.3 | Objective | 161 |
| 4.4 | Pyridinium-substituted triphenylene-based ionic liquid crystals | 162 |
| 4.4.1 | Synthesis | 162 |
| 4.4.2 | Characterization | 164 |
| 4.4.3 | Thermal behaviour | 166 |
| 4.4.4 | X-ray diffraction studies | 169 |
| 4.4.5 | Effect of counter ions | 171 |
| 4.5 | Imidazolium-substituted triphenylene-based ionic liquid crystals | 172 |
| 4.5.1 | Synthesis | 172 |
| 4.5.2 | Characterization | 173 |
| 4.5.3 | Thermal behaviour | 175 |
| 4.5.4 | X-ray diffraction studies | 177 |
| 4.6 | Conclusion | 177 |
| 4.7 | Experimental | 178 |
| 4.7.1 | General information | 178 |
| 4.7.2 | Synthesis of pyridinium-substituted triphenylene-based ionic liquid crystals | 178 |
| 4.7.3 | Synthesis of imidazolium-substituted triphenylene-based ionic liquid crystals | 180 |
| | | |

CHAPTER 5:Novel imidazolium-based ionic discotic liquid crystalline dimers and

polymers

| 5.1 | Introduction | 199 |
|-----|--|-----|
| 5.2 | Objective | 206 |
| 5.3 | Synthesis | 208 |
| 5.4 | Characterization | 209 |
| 5.5 | Thermal behaviour | 214 |
| 5.6 | X-ray diffraction studies | 217 |
| 5.7 | Conclusion | 218 |
| 5.8 | Ionic discotic liquid crystalline polymers | 219 |

| 5.8.1 | Synthesis | 219 |
|-------|--|-----|
| 5.8.2 | Characterization | 220 |
| 5.8.3 | Thermal behaviour | 221 |
| 5.8.4 | X-ray diffraction studies | 222 |
| 5.8.5 | Conclusion | 222 |
| 5.9 | Experimental | 223 |
| 5.9.1 | General information | 223 |
| 5.9.2 | Synthesis of alkoxycyanobiphenyl-based imidazolium ionic liquids | 223 |
| 5.9.3 | Synthesis of imidazolium-based calamitic-discotic ionic dimers | 226 |
| 5.9.4 | Synthesis of imidazolium-based discotic-discotic ionic dimers | 226 |
| 5.9.5 | Synthesis of imidazolium-based ionic discotic polymer | 227 |

CHAPTER 6:Novel discotic-calamitic hybrids: synthesis and characterization of cyanobiphenyl substituted rufigallols

| 6.1 | Introduction | 249 |
|-------|--|-----|
| 6.2 | Objective | 253 |
| 6.3 | Rufigallol as a discotic core | 255 |
| 6.4 | Synthesis of rufigallols | 256 |
| 6.5 | Synthesis of rod-disc hybrids: mono alkoxycyanobiphenyl substituted rufigallols | 257 |
| 6.5.1 | Characterization of discotic-calamitic dimers | 258 |
| 6.5.2 | Thermal behaviour of discotic-calamitic dimers | 259 |
| 6.5.3 | X-ray diffraction studies | 260 |
| 6.6 | Synthesis of rod-disc-rod trimers: dialkoxycyanobiphenyl substituted rufigallols | 261 |
| 6.6.1 | Characterization of rod-disc-rod trimers | 262 |
| 6.6.2 | Thermal behaviour of trimers | 263 |
| 6.7 | Synthesis of pentamers: tetraalkoxycyanobiphenyl substituted rufigallols | 263 |
| 6.7.1 | Characterization | 264 |
| 6.7.2 | Thermal behaviour | 265 |
| 6.8 | Synthesis of hexamers: pentaalkoxycyanobiphenyl substituted rufigallols | 266 |
| 6.8.1 | Characterization | 267 |
| 6.8.2 | Thermal behaviour | 267 |

| 6.9 | Synthesis of heptamers: hexaalkoxycyanobiphenyl substituted rufigallols | 268 |
|--------|---|-----|
| 6.9.1 | Characterization | 269 |
| 6.9.2 | Thermal behaviour | 269 |
| 6.10 | Conclusion | 271 |
| 6.11 | Experimental | 272 |
| 6.11.1 | Synthesis of 1,2,3,5,6,7-hexahydroxyanthraquinone | 272 |
| 6.11.2 | Synthesis of 1,5 -dihydroxy-2,3,6,7-tetraalkoxy-9,10-anthraquinone | 272 |
| 6.11.3 | Preparation of mono-hydroxy functionalized rufigallols | 273 |
| 6.11.4 | Synthetic procedure of rod-disc dimers | 274 |
| 6.11.5 | Synthetic procedure of dialkoxycyanobiphenyl substituted rufigallols | 275 |
| 6.11.6 | Synthetic procedure of tetraalkoxycyanobiphenyl substituted rufigallols | 276 |
| 6.11.7 | Synthetic procedure of pentaalkoxycyanobiphenyl substituted rufigallols | 276 |
| 6.11.8 | Synthetic procedure of hexaalkoxycyanobiphenyl substituted rufigallols | 278 |
| | | |